



IFW

Docket No.: 242583US2RD CONT

OBLON
SPIVAK
McCLELLAND
MAIER
&
NEUSTADT
P.C.

ATTORNEYS AT LAW

MARVIN J. SPIVAK
(703) 413-3000
MSPIVAK@OBLON.COM

RE: Application Serial No.: 10/666,251

Applicants: Hiroyuki IBE, et al.

Filing Date: September 22, 2003

For: APPARATUS AND METHOD FOR OPTICAL
MODULATION

Group Art Unit: 2873

Examiner:

SIR:

Attached hereto for filing are the following papers:

First Office Action Status Request (in duplicate)

Our check in the amount of \$0 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Marvin J. Spivak
Registration No. 24,913

Surinder Sachar
Registration No. 34,423

Customer Number

22850

(703) 413-3000 (phone)
(703) 413-2220 (fax)

DOCKET NO. 242583US2RD CONT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

Hiroyuki IBE, et al.

SERIAL NUMBER: 10/666,251

: GROUP: 2873

FILED: September 22, 2003

:

FOR: APPARATUS AND METHOD FOR OPTICAL MODULATION

STATUS REQUEST

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

The Patent Office is respectfully requested to advise the undersigned of the approximate date a first Official Action will be issued in this Application.

A duplicate of this request is enclosed for your convenience.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Marvin J. Spivak
Attorney of Record
Registration No. 24,913

Surinder Sachar
Registration No. 34,423



22850

(703) 413-3000
Fax: (703) 413-2220